

MASSEY FERGUSON MOWERS //


MAXIMIZE YOUR **MOWING EFFICIENCY**



MASSEY FERGUSON



ACHIEVING BETTER WITH MASSEY FERGUSON



EFFICIENCY THAT KEEPS YOU MOVING

From disc mowers and mower conditioners to front and rear combination mowers, Massey Ferguson® mowers are designed to help you achieve better forage quality. Cover more acres in less time with wide cutting widths, intuitive adjustments and high-speed cutting components. For even greater efficiency, pair a Massey Ferguson front mower with a rear combination mower to create a powerful triple mower that maximizes coverage in fewer passes.



FORAGE QUALITY YOU CAN COUNT ON

Achieve cleaner cuts, faster dry downs and better feed value. Precision cutting systems protect forage quality, while adjustable cut heights on both front- and rear-mounted mowers let you tailor your approach to different field conditions. The Massey Ferguson 1300 Series mower conditioners speed up dry-down times and preserve essential nutrients, ensuring your forage is ready when you need it.



DURABILITY THAT LASTS

Tackle tough conditions with confidence. Massey Ferguson disc mowers feature heavy-duty cutter bars, reinforced frames, and advanced spring suspension to absorb shocks and minimize wear. Season after season, these rugged machines stand up to the demands of the field, so you can stay productive when it matters most.



BETTER COST OF OWNERSHIP

Maximize your investment with low-maintenance designs, easy service access and fuel-efficient operation. Massey Ferguson mowers keep operating costs down with durable components that reduce the need for repairs, while optimized power management helps you get more done with less fuel.



STRAIGHTFORWARD. DEPENDABLE. DESIGNED FOR THE WAY YOU WORK.

Massey Ferguson has earned the trust of farmers worldwide by delivering machines that are easy to own, easy to operate and built to last. That same philosophy powers our lineup of mowers. Whether you're managing a few acres or cutting thousands, Massey Ferguson mowers offer the speed, precision and reliability it takes to produce quality forage and keep your operation moving forward.

THE MASSEY FERGUSON LINEUP AT A GLANCE

MASSEY FERGUSON DELIVERS STRAIGHTFORWARD AND DEPENDABLE MOWING SOLUTIONS

Designed for maximum efficiency, durability and forage quality. From pull-type disc mowers to robust triple mower combinations, our lineup is built to help you achieve better forage quality with every pass.

MOWER TYPE	PROPERTY TYPE	REQUIRED PTO HP	SUGGESTED PAIRINGS
Disc Mower	Hobby farms Hay operations of all sizes	40-85	MF 5700, 4700, 2600 H Series tractors
Mower Conditioner	Small to midsize hay operations	75-120	MF 5700, 5S, 6S Series tractors
Front-Mounted Mower	Small to large hay and livestock operations	60-85	MF 6S Series tractor MF DM Series disc mower MF 1300 Series mower conditioner Rear combination mower
Triple Mower	Large livestock farms Commercial hay operations Custom mowing	180-250	MF 8S, MF 9S Series tractors



MF DM SERIES // DISC MOWERS

VERSATILITY FOR EVERY OPERATION

- » The Farmer Series offers reliable everyday performance at an economical price, while the Professional Series provides higher capacity and faster cutting speeds for bigger jobs.

RELIABLE POWER TRANSFER

- » A PTO shaft with a free-wheel clutch transfers power efficiently through a V-belt from the tractor to the in-line cutter bar so you can power through any crop with minimal maintenance.

TOP PERFORMANCE IN TOUGH CONDITIONS

- » Rugged construction and advanced engineering keep the mower performing even in the most challenging field conditions, for years of trouble-free service




FARMER SERIES DISC MOWER SPECIFICATIONS

MODEL	TYPE	WORKING WIDTH FT. (M)	MINIMUM PTO HP	BASE MOWER WEIGHT LBS. (KG)	CONDITIONER COMPATIBILITY
MF DM 205	Spur gear drive Rear mounted	6'9" (2.06)	41	897 (407)	—
MF DM 246		7'11" (2.42)	50	964 (437)	
MF DM 287		9'3" (2.82)	60	1,047 (475)	

PRECISION CUTTING FOR BETTER FORAGE

Massey Ferguson Farmer Series and Professional Series pull-type disc mowers deliver clean, consistent cuts for superior forage regrowth with reduced residue. Designed for efficiency and durability, these mowers handle everything from small farms to large-scale operations with ease, maximizing your productivity while preserving crop value.



BUILT-IN DAMAGE PROTECTION

» Each cutting head features shear pin protection to prevent damage from obstacles, with easy in-field replacement for minimal maintenance time.

CLEAN CUTTING, HIGH-QUALITY FORAGE

» Precision cutting is achieved with a flat, low-profile spur gear design, and a high material flow prevents buildup, creating wide swaths and preserving forage quality.

PROFESSIONAL SERIES DISC MOWER SPECIFICATIONS

MODEL	TYPE	WORKING WIDTH FT. (M)	MINIMUM PTO HP	MINIMUM PTO HP WITH CONDITIONER	BASE MOWER WEIGHT LBS. (KG)	CONDITIONER COMPATIBILITY
MF DM 255-P	Rear mounted	8'4" (2.55)	54	75	1,389 (630)	Tine or rubber
MF DM 306-P	Side attachment	9'10" (3.0)	61	86	1,596 (724)	Tine
MF DM 357-P	Compact angle drive	11'6" (3.5)	68	—	1,760 (798)	—

To see the full specifications including available attachments, visit masseyferguson.com or scan the QR code.

MF DM SERIES // FRONT-MOUNTED MOWERS

3-DIMENSIONAL GROUND FOLLOWING

- » Lateral and fore/aft-tilt capabilities provide superior contouring on uneven terrain, improving cut quality and forage regrowth.

ADJUSTABLE CUTTING HEIGHT

- » Stepless cutting height adjustment via the top link lets operators fine-tune the cut for different crops and field conditions.



FRONT-MOUNTED MOWER SPECIFICATIONS

MODEL	WORKING WIDTH FT. (M)	MINIMUM PTO HP	APPROX. WEIGHT (LBS.)	CUTTER BAR	CONDITIONER OPTIONS
MF DM.316FQ/R	10'2"	NC: 60 RC: 70	NC: 2,094 RC: 2,729	RazorEdge	No conditioner Rubber-on-rubber Steel-on-steel
MF DM.367FQ/R	11'10"	NC: 70 RC: 85	NC: 2,248 RC: 2,809		

To see the full specifications including available attachments, visit masseyferguson.com or scan the QR code.

ADAPTABLE MOWERS THAT GROW WITH YOUR OPERATION

Achieve clean cuts, smooth operation and effortless adaptability for any terrain. Front-mounted mowers from Massey Ferguson are designed for versatility — pair one with a midsize tractor for small to medium operations, or add additional mowing implements to maximize your mowing capabilities for larger jobs.

EASY 3-POINT ATTACHMENT

» A direct 3-point-hitch connection sets the mower closer to the ground, providing better ground tracking and visibility from the cab.

TERRAIN-ADAPTING SUSPENSION

» The hydraulic suspension smoothly adapts to changing ground conditions to maintain an even cut, reduce component wear and minimize stress on the mower frame.

RUGGED, DURABLE CUTTER BAR

» The exclusive RazorEdge cutter bar features a low-profile design for a cleaner cut, reduced ash and faster regrowth. Its one-piece build and heavy-duty components minimize maintenance and maximize field time.



**SCAN THE
QR CODE**
TO SEE THE FULL
SPECIFICATIONS




MF DM SERIES // TRIPLE MOWERS

SMARTER CONTROL, LESS FATIGUE

- » PRO models include ISOBUS automation with section control and all-up/all-down functionality, making operation more efficient and accessible while reducing operator fatigue.

HIGH-CAPACITY CUTTING

- » Cover more acreage in less time — and with less labor — when you pair a front-mounted mower with a rear combination mower featuring working widths up to 33'2".



REAR COMBINATION MOWER SPECIFICATIONS

MODEL	WORKING WIDTH FT. (IN)	MINIMUM PTO HP	APPROX. WEIGHT (LBS.)	CUTTER BAR	CONDITIONER OPTIONS		
MF DM.8612 TL-RC	28'4"	180	5,092	RazorEdge	Rubber-on-rubber		
MF DM.9614 TL	30'6" - 31'6"	NC: 160 COND.: 180	NC: 4,078 RC: 8,068		No conditioner Rubber-on-rubber Steel-on-steel		
MF DM.10114 TL-RC	32'2" OR 33'2"	230	8,289		Rubber-on-rubber Steel-on-steel		
MF DM.10114 TL-RC PRO		250	10,141				
MF DM.10114 TL-RCB PRO							

To see the full specifications including available attachments, visit masseyferguson.com or scan the QR code.

CUT MORE. WASTE LESS. MAKE EVERY ACRE COUNT.

Pair a Massey Ferguson rear combination mower with a front-mounted mower to create an ultra-productive triple mower — and confidently take on large acreage with fewer passes. Designed for large-scale operations, these high-capacity mowers deliver clean, consistent cuts while reducing fuel use and labor costs.

CUSTOMIZABLE FORAGE PROCESSING

- » Multiple conditioning options, including steel-on-steel, rubber-on-rubber and rubber-on-steel, allow operators to match their specific crop needs and improve dry down.

TERRAIN-ADAPTING SUSPENSION

- » The hydraulic suspension adapts to changing ground conditions for an even cut and less wear. A built-in breakaway system protects the mower by pivoting around obstacles and automatically returning to cutting position.

RUGGED, DURABLE CUTTER BAR

- » The exclusive RazorEdge™ cutter bar features a low-profile design for a cleaner cut, reduced ash and faster regrowth. Its one-piece build and heavy-duty components minimize maintenance and maximize field time.



**SCAN THE
QR CODE**
TO SEE THE FULL
SPECIFICATIONS



MF 1300 SERIES // MOWER CONDITIONERS

UNIFORM CONDITIONING

- » Hydraulic roll tensioning ensures consistent conditioning pressure for uniform dry down and high-quality forage.



RELIABLE PERFORMANCE IN TOUGH CONDITIONS

- » Advanced rock guards, quick-change knives and heavy-duty skid shoes protect the machine while ensuring smooth operation across any terrain.



**SCAN THE
QR CODE**
TO SEE THE FULL
SPECIFICATIONS

BUILT FOR BETTER RESULTS IN TOUGH CONDITIONS

Massey Ferguson 1300 Series mower conditioners are built for farmers who demand clean cutting, fast dry down and reliable performance in any crop. With industry-exclusive hydraulic roll tensioning and rugged RazorEdge cutter bars, these machines deliver superior forage quality in even the toughest conditions.



CUSTOMIZABLE FORAGE PROCESSING

» Multiple conditioning options, including steel-on-steel, rubber-on-rubber, rubber-on-steel and tine, allow operators to match their specific crop needs and improve dry down.

HEAVY-DUTY FRAME & CLEARANCE

» A reinforced rear arch frame and up to 18 inches of header lift provide excellent ground clearance over headlands, ditches and waterways.

RUGGED, DURABLE CUTTER BAR

» The exclusive RazorEdge cutter bar features a low-profile design for a cleaner cut, reduced ash and faster regrowth. Its one-piece build and heavy-duty components minimize maintenance and maximize field time.

MODEL	PULL	CUTTING WIDTH FT. (M)	MINIMUM PTO HP (KW)	CUTTER BAR	CONDITIONER OPTIONS
1373	Side	9'10" (3)	70 (52)	RazorEdge	Steel, rubber, tine
1376	Center	9'10" (3)	75 (55)		
1393		13'1" (4)	100 (75)		Steel, rubber-on-steel
1316 S		16' (4.9)	120 (89)		

To see the full specifications including available attachments, visit [masseyferguson.com](https://www.masseyferguson.com) or scan the QR code.



RECEIVE A LIFETIME OF SUPPORT

Buying, owning and maintaining equipment can be complex. With Massey Ferguson, you can count on personalized, responsive support from our network of dealers throughout the lifetime of your mower.

Plus, there's no cutoff time for parts and service, meaning we're available to you throughout the lifetime of your machine. Genuine parts. Expert care.

ASK YOUR DEALER FOR DETAILS ABOUT AGCO PARTS AND SERVICE



**SCAN THE
QR CODE**
to apply for financing.

**APPLY
ONLINE**
FOR FINANCING

